



VETERINARY PRODUCTS FOR PIGS



VACCINES

HORMONES

ANTIMICROBIAL PRODUCTS

ANTIPARASITICS

ANTIANEMICS

VITAMINS, NUTRITIONAL SUPPLEMENTS

OTHERS



WE *respect* **ANIMALS**

VETERINARY MEDICAMENTS PRODUCER

VACCINES



BIOSUIS APP 2, 9, 11

emulsion for injection for pigs

Inactivated bacterin-toxoid vaccine against actinobacillosis of pigs

Indication: For active immunisation of fattening pigs to mitigate the consequences of infection caused by *Actinobacillus pleuropneumoniae* – the cause of porcine pleuropneumonia

Package: 100, 250 ml



BIOSUIS M.hyo

emulsion for injection for pigs

Inactivated vaccine against Enzootic pneumonia of pigs

Indication: For active immunization of fattening pigs to mitigate the effects of infection with *Mycoplasma hyopneumoniae* – a causative agent of Enzootic pneumonia of pigs

Package: 100, 250 ml



BIOSUIS ParvoEry

suspension for injection for pigs

Inactivated vaccine against Swine Parvovirus and Swine Erysipelas with aluminium hydroxid adjuvant

Indication: For active immunisation of pigs (gilts, sows) to reduce clinical signs (skin lesions and fever) of Swine Erysipelas caused by *Erysipelothrix rhusiopathiae* and to prevent transplacental infection of embryos and foetuses of gilts and sows caused by Porcine Parvovirus. Recommended for swine farms with sensitive genetics of swine breed mainly (Danish and Belgium Landrace, Pietrain)

Package: 50, 100 ml



BIOSUIS PARVO L (6)

emulsion for injection for pigs

Inactivated vaccine against Swine parvovirus and Leptospiriosis

Indication: For preventive vaccination of sows, gilts and boars against infections caused by *Parvovirus suis* and serious serotypes of *Leptospira* spp.

Package: 20 ml

VACCINES



BIOSUIS PRRS inact Eu+Am

emulsion for injection for pigs

Inactivated vaccine against PRRS infection with European and American strains

Indication: For active immunization of gilts and sows to reduce reproductive disorders and viremia caused by Porcine reproductive and respiratory syndrome virus (European and American type)

Package: 50 ml



BIOSUIS Respi E

emulsion for injection for pigs

Inactivated vaccine against Actinobacillosis, Swine erysipelas and Glasser disease of pigs

Indication: For active and passive immunization of piglets to prevent infection with *Erysipelothrix rhusiopathiae*, reduce infection with *Actinobacillus pleuropneumoniae* and *Haemophilus parasuis* (Glässer's disease) and to reduce clinical symptoms caused by these pathogens and pathological changes in lung tissue caused by these pathogens

Package: 100 ml



BIOSUIS Salm

emulsion for injection for pigs

Inactivated vaccine against zoonotic serovars of Salmonella spp. with modern oil adjuvant

Indication: For immunization of pregnant gilts and sows in order to induce colostral immunity, and better protection of suckling piglets against bacterial infection by strains of *Salmonella enterica* subsp. *enterica* serovars *Typhimurium*, *Derby* and *Infantis*, which leads to decrease in colonization of inner organs by these serovars

Package: 50 ml



BIOSUIS PRRS live

suspension for injection for pigs

Live attenuated lyophilised vaccine against infection by European subtype of PRRS virus

Indication: For the active immunization of clinically healthy pigs from 2 weeks of age in environment contaminated by the European type of PRRS virus, to reduce viremia and create specific antibodies in pigs

Package: 50 ml

VACCINES

ROKOVAC NEO

emulsion for injection for pigs

Inactivated vaccine against rotaviral and coli-infections of piglets

Indication: For active immunisation of pregnant gilts and sows against rotaviral and enteral coli-infections, to induce colostral and lactogenous immunity to protect piglets till weaning. Piglets are protected against antigens included in vaccine during suckling from vaccinated mother

Package: 50 ml



POLYPLEUROSIN APX PLUS IM

emulsion for injection for pigs

Inactivated subunit bacterin-toxoid vaccine against bacterial respiratory syndrome of pigs

Indication: For immunization of piglets, gilts and sows in healthy herds or suffering from pneumonia caused by *Actinobacillus pleuropneumoniae*, *Pasteurella multocida*, *Bordetella bronchiseptica*

Package: 100 ml, 250 ml



RHINISIN DNT

emulsion for injection for pigs

Inactivated vaccine against progressive atrophic rhinitis in swine with dermonecrototoxic toxoid

Indication: For immunization of pregnant gilts and sows from 6 months of age in order to induce colostral immunity and following protection newborn piglets against Atrophic rhinitis

Package: 20 ml, 100 ml



ERYSEN inj. sicc.

Live attenuated lyophilised vaccine against Swine erysipelas

Indication: Immunization of pigs from 8 weeks of age against all clinical forms of Swine erysipelas with a single vaccination dose only

Package: 100 ml



ERYSIN SINGLE SHOT

emulsion for injection for pigs

Inactivated vaccine against Swine erysipelas

Indication: Immunization of pigs from 8 weeks of age against all clinical forms of Swine erysipelas with a single vaccination dose only

Package: 5 × 20 ml, 100 ml



VACCINES

ERYPESTEN inj. sicc.

Live vaccine against Swine erysipelas and Classical swine fever

Indication: For the basic immunization against erysipelas and CSF

Package: 5 × 20 ml



PESTISEN-C inj. sicc.

Live vaccine against Classical swine fever (CSF)

Indication: The vaccine is intended for preventive vaccination of pigs against CSF

Package: 5 × 10 doses, 10 × 10 doses



Kolisin Neo emulsion for injection for pigs

Inactivated vaccine against enteral-coli infections of piglets

Indication: For the vaccination of the pregnant gilts and sows to be performed in breeding infected or threatened with coli infections

Package: 50 ml, 100 ml



Koliersyn Neo emulsion for injection for pigs

Inactivated vaccine against enteric coli-infections in suckling piglets

Indication: For the protection against swine erysipelas in gilts and sows and protection against coli-infections in piglets

Package: 50 ml, 100 ml



PARVOSIN-OL emulsion for injection for pigs

Inactivated monovalent vaccine against Swine parvovirus

Indication: For preventive vaccination of gilts, sows and boars against infections caused by *Parvovirus suis* with a single vaccination dose only

Package: 50 ml, 100 ml



PARVOERYSIN emulsion for injection for pigs

Inactivated bivalent vaccine against Swine parvovirus and Swine erysipelas

Indication: For the active immunization of pigs against infections caused by *Parvovirus suis* and all clinical forms of Swine erysipelas with a single vaccination dose only

Package: 50 ml, 100 ml



HORMONES

OESTROPHAN 0.25 mg/ml injection solution

Hormonal product for sows, cows and mares

1 ml of injection solution contains *Cloprostenolum (ut natrium)* 0.25 mg



Indications: Gilts and sows: Synchronization and induction of farrowing. Postpuerpal chronic endometritis. Interruption of normal and pathological pregnancy.

Gilts and sows: 0.7 ml pro toto (0.175 mg of the active substance) should be administered starting from day 111 of pregnancy. The majority of cases of parturition induced occur within 40 hours after the administration, namely between 24 and 35 hours

Package: 10 × 2 ml, 10 ml

ESTRON 250 µg/ml solution for injection

Hormonal product for sows, cows and mares

1 ml of injection solution contains *Cloprostenolum (ut natrium)* 0.25 mg



Indications: Gilts and sows: Synchronization and induction of farrowing. Postpuerpal chronic endometritis. Interruption of normal and pathological pregnancy.

Gilts and sows: 0.7 ml pro toto (0.175 mg of the active substance) should be administered starting from day 111 of pregnancy. The majority of cases of parturition induced occur within 40 hours after the administration, namely between 24 and 35 hours

Package: 5 × 10 ml

REMOPHAN 75 µg/ml injection solution (ESTROPUR)

Hormonal product for sows, cows and heifers

1 ml of injection solution contains + *Cloprostenolum natricum* 75 µg

Indications: Gilts and sows – Synchronization and induction of farrowing. Postpuerpal chronic endometritis.

Gilts and sows – administer (behind the ear) a one-shot dose of 1 ml (75 µg of active substance) from the 111th day of pregnancy. Most induced parturition start between the 19th and 30th hour after administration

Package: 10 ml



HORMONES

OXYTOCIN BIO 5 IU/ml injection solution

Hormonal product for sows, cows, mares, sheep, goats and bitches

1 ml of injection solution contains *Oxytocinum* 5 IU

Indications: Support delivery in case of primary depression of contractions, to accelerate the expulsive phase of delivery, depression of uterine muscle contractility during the puerperal period, stimulate involution in case of placenta retention and exometra, to remove the pathological contents of uterus (endometritis, pyometra) agalaxia in consequence of milk production disorder in all target species

Package: 50 ml



SERGON 500 IU/ml

powder for preparation of injection solution with solvent

Hormonal product for sows, cows, heifers, gilts, sheep, goat, bitch, rabbit

1 ml of injection solution contains *Gonadotrophinum sericum equinum* – 500 IU

Indications: Anestrus, induction and synchronization of heat

Package: 1 × 1000 IU, 1 × 3000 IU, 1 × 5000 IU, 5 × 1000 IU, 5 × 3000 IU, 5 × 5000 IU



SERGON PG 400/200 IU

lyophilizate for solution for injection with solvent

Hormonal product for sows and gilts

1 ml of injection solution contains *Gonadotropinum sericum equinum* (400 IU) and *Gonadotropinum chorionicum* (200 IU)

Indications: Anestrus, induction and synchronization of estrus in gilts and sows

Package: 5 × 1 dose, 5 × 5 doses



GONADORELIN Bioveta 0.05 mg/ml solution for injection

Active substance: Gonadorelinum [6-D-Phe] 0.05 mg (corresponds Gonadorelini[6-D-Phe] acetat 0.0524 mg)

Target species: Pigs, cattle, horses

Indication: Control and stimulation of reproduction

Package: 10 ml, 50 ml



ANTIMICROBIAL PRODUCTS



AMOXICILLIN Bioveta 150 mg/ml LA

injection suspension

Injection antibiotic

Active substance: Amoxicillinum

Target species: Pigs, cattle, dogs

Indications: Treatment of the disease caused by the germ sensitive to amoxicillin. Especially local, gastrointestinal, respiratory and urogenital infections are concerned

Package: 100 ml, 250 ml



IVATYL TAR 180 000 IU/ml

solution for injection

Injection antibiotic

Active substance: Tylosinum

Target species: Pig, cattle

Indications: Treatment of respiratory, gastrointestinal and urogenital tract infections, skin infections and infections of soft tissue caused by bacteria sensitive to tylosine

Package: 100 ml, 250 ml



BIOVETA AMOXICILIN 100 mg/g

powder for oral solution

Water soluble antibiotic

Active substance: Amoxicillinum

Target species: Pigs, calves, poultry

Indications: Infectious diseases caused by germs sensitive to amoxicillin, e.g. infection of upper airways and lungs, post-delivery infections, urogenital tract infections, hepatobiliary infection, salmonellosis, coli infections, etc.

Package: 100 g, 1 kg, 5 kg



BIOVETA COLISTIN 1 200 000 IU/g

powder for oral solution

Water soluble antibiotic

Active substance: Colistini sulfas

Target species: Piglets, calves, domestic fowl

Indications: Prevention and therapy of gastrointestinal disorders caused by gram-negative bacteria (in particular *E. coli* and *Salmonella* spp.)

Package: 500 g, 5 kg

ANTIPARASITICS



BIOMEK 10 mg/ml injection solution

Antiparasitic injection solution

Active substance: Ivermectinum

Target species: Pigs, cattle, sheep

Indications: Treatment and prevention of following parasitic diseases in cattle, sheep and pigs: gastrointestinal round worms, lung nematodes, eye helminths, other worms, mites, lice, scabies

Package: 50 ml, 500 ml



BIOVETA FENBENDAZOL 40 mg/g

oral powder

Peroral antiparasitic product

Active substance: Fenbendazolium

Target species: Pig

Indications: Porcine helminthosis treatment: *Ascaris suum*, *Hyostromylus rubidus*, *Trichuris* spp., *Oesophagostomum* spp., *Stephanurus dentatus*, *Metastrongylus apri*

Package: 500 g, 5 kg

ANTIANEMICS



FERRIBION 100 mg/ml injection solution

Antianaemic product

Active substance: Dextraferranum

Target species: Piglets, calves, sheep, goats, lambs, dogs, minks, foxes

Indications: Primary anaemia, particularly hypochromic and aferric in all types of farm animals showing the following symptoms: depression, pallid mucosa, subnormal temperature and possible diarrhoea of non-infectious origin. Secondary anaemia due to the long-term haemorrhage caused by injuries, long-term surgical interventions and complicated deliveries; anaemia caused by the primary or secondary parasitic affections; supporting treatment during infectious diseases and exhaustion

Package: 100 ml, 500 ml



GAFERVIT injection solution

Antianaemic, immunopreventive and vitamin product for piglets

It contains iron in the form of dextran, pig immunoglobulins, B group vitamins and trace elements

Indications: Anaemia, hypoglobulinaemia, cachexia, retardation, diseases connected with weaning (diarrhoea, decreased appetite, etc.), metabolic disorders in piglets

Package: 100 ml

VITAMINS, NUTRITIONAL SUPPLEMENTS



ADE – vit. injection solution

Injection oily product containing vitamin A, D₂ and E

Target species: Pig, cattle, horse, sheep, goat, dog, rabbit

Indications: Hypovitaminosis and avitaminosis A, D₂ and E

Package: 100 ml, 500 ml



VITA E SELEN solution for injection

Product for prophylaxis and therapy of the diseases caused by the deficiency of the vitamin E and selenium

1 ml of the product contains *Alpha-tocopherol acetate* 25 mg, *Sodium selenite* 2.2 mg (equivalent to 1 mg of selenium)

Target species: Pigs, lambs, calves, young cattle, cows

Indications: Prevention and therapy of diseases associated with deficiency of vitamin E and selenium, especially muscular dystrophy in young livestock

Package: 50 ml, 100 ml



PLASTIN

Mineral food complement containing trace elements and basic mineral substances

Target species: Pig, dog, poultry

Indications: Completion of mineral substances into the feeding dose

Package: 1 kg, 5 kg



VITAPLASTIN forte

Mineral food complement containing trace elements and basic mineral substances

Target species: Pig, horse, cattle, sheep, goats, dog, silver fox, rabbit, poultry, exotic birds

Indications: Completion of mineral substances into the feeding dose

Package: 1 kg, 5 kg



OTHERS



AVITUBAL 28 000 inj. ad us. vet

Product for the diagnosis of tuberculosis

1 ml contains proteinum tuberculini *Mycobacterii avium* (strain D 4 ER) – 28 000 IU

Target animals: Pig, cattle, poultry

Indications: For simple tuberculinisation of pigs and poultry and for the simultaneous tuberculinisation of bovine animals

Package: 1 × 5 ml, 10 × 5 ml

BOVITUBAL 28 000 inj. ad us. vet

Product for the diagnosis of tuberculosis

1 ml contains proteinum tuberculini *Mycobacterii bovis* (strain AN 5) – 28 000 IU

Target animals: Pig, cattle, poultry

Indications: For simultaneous tuberculinisation of pigs and poultry and for simple tuberculinisation of cattle

Package: 1 × 5 ml, 10 × 5 ml

COFFEINUM BIOVETA 125 mg/ml

injection solution

Product containing the central analeptic caffeine

Active substance: *Coffeinum anhydricum*

Target species: Pigs, cattle, horses, dogs, cats, sheep

Indications: Acute general physical weakness, collapse or shock as a sign of sedation or paralysis of the central nervous system (after exhausting exertion, poisoning and severe diseases), surgical coma, heart insufficiency (mainly bradycardic type) and other cases of injury or fatigue, to shorten waking up after general anaesthesia

Package: 50 ml

IVASAN Farm

Liquid, watersoluble product with ammonium chlorides and PHMG, intended for professional disinfection and hygienic sanitation of surfaces, spaces and technological equipment on animal farms and for disinfection of vehicles used for animal transport and feed stores

Package: 5 l, 10 l

JODOUTER 100 mg/ml intra-uterine solution

Local antiseptic, disinfectant product

Active substance: *Povidonum iodinum*

Target species: Pigs, cattle

Indications: Vagina contamination by urine (urovagina), vagina and vagina vestibule inflammations (vaginitis, vestibulitis), cervix uteri inflammations (cervicitis), acute and chronic uterine mucosa inflammations (endometritis) caused by acute and subacute infections, trichomoniasis, vagina

OTHERS

injuries, insufficient uterus contractility after delivery (atonia uteri post partum), lochiometra, retention of secundines (retentio secundinarium) and pyometra

Package: 150 ml

KETOPROFEN Bioveta 100 mg/ml solution for injection

Active substance: Ketoprofenum 100 mg

Target species: Pigs, cattle, horses

Indication: Treatment of inflammatory processes - MMA syndrome (mastitis, metritis,agalactia), respiratory infections, in combination with appropriate antibiotic treatment, if necessary. Symptomatic treatment of fever

Package: 100 ml



LOTAGEN 360 mg/ml concentrate for vaginal/cutaneous solution

Local antiseptic, disinfectant product

Active substance: Policresulenum

Target species: Cattle, mares, dog

Indications: Sterility due to endometritis or subacute infections; cervicitis, vaginitis, vestibulitis, trichomoniasis; obliteration of milk pseudofistulae; obstetrics – injuries to the vagina, post-partum vaginal haemorrhage, prevention of MMA syndrome in sows; surgical procedures and wound toilet; fistulae of the anal glands, interdigital ulcerations, otitis externa

Package: 100 ml



LOTAGEN injector intra-vaginal solution

Local antiseptic, disinfectant product

Active substance: *Policresulenum*

Target species: Pigs, cattle

Indications: Sterility induced by acute infections, cervicitis, vaginitis, vulvitis, genital trichomoniasis and urovaginitis; obstetrics – vaginal injury, vaginal bleeding

Package: 150 ml



PENBITAL Eutha 400 mg/ml solution for injection

Gentle product for the euthanasia without adverse reactions

Product contains *pentobarbitalum natricum* 400,0 mg (362,94 mg of pentobarbital) in one ml. Injection solution. Blue to sea – green solution

Target species: Cattle, goat, sheep, swine, horse and rabbit not intended to slaughter purposes. Dog, cat, ferret

Indication: Euthanasia

Package: 100 ml





WE *respect* **ANIMALS**

VETERINARY MEDICAMENTS PRODUCER

Bioveta, a. s.

Komenského 212
683 23 Ivanovice na Hané
Czech Republic

tel.: +420 517 318 888
e-mail: info@bioveta.cz
www.bioveta.cz

For further information please contact:

Pavel Raška, DVM

Senior Product manager – livestock
e-mail: raska.pavel@bioveta.cz
mobil: +420 777 357 860

Dalibor Pavlíček, DVM

Product manager – livestock
e-mail: pavlicek.dalibor@bioveta.cz
mobil: +420 608 724 256

